

IN THE CLAIMS

For the convenience of the Examiner, all pending claims of the Application are reproduced below regardless of whether or not an amendment has been made.

1. (Currently amended) A method for controlling audio content during a multiparty communication session, comprising:

establishing a multiparty communication session involving a plurality of participants, each participant associated with a device;

after establishing the multiparty communication session, prompting the active participants of a multiparty communication session to identify themselves as active participants; and

disabling media from a particular device previously used by one of the participants and from which no active participant is identified to terminate communication of the media from the particular device to other devices in the multiparty communication session.

2. (Currently amended) The method of Claim 1, further comprising prompting the ~~active~~ participants to identify themselves in response to at least a request from one of the participants.

3. (Previously presented) The method of Claim 2, further comprising authenticating the request.

4. (Original) The method of Claim 3, wherein authenticating the request comprises authenticating the participant making the request.

5. (Original) The method of Claim 1, further comprising disabling media from each device from which no active participant is identified.

6. (Original) The method of Claim 1, wherein the disabled media comprises on-hold content.

7. (Currently amended) The method of Claim 1, further comprising receiving a response to the prompt ~~to the active participants to identify themselves~~ from at least one ~~active~~ participant via a dual-tone multi-frequency (DTMF) command.

8. (Currently amended) The method of Claim 1, further comprising utilizing adaptive speech recognition to identify responses from ~~active participants to identify themselves~~.

9. (Currently amended) The method of Claim 1, further comprising filtering out responses to the prompt ~~to identify themselves from the active participants~~ to prevent communication of the responses to the other devices in the multiparty session.

10. (Original) The method of Claim 1, further comprising periodically playing to the particular device for which the media is disabled a prompt inviting the participant to re-join the multiparty communication session.

11. (Original) The method of Claim 10, further comprising enabling media from the particular device in response to at least receiving a re-join request from the particular device.

12. (Original) The method of Claim 1, further comprising identifying to the active participants a list of the active participants.

13. (Original) The method of Claim 12, further comprising identifying the list of active participants to a particular active participant in response to a query by the particular active participant.

14. (Original) The method of Claim 1, wherein each active participant identifies himself with a secure signal.

15. (Original) The method of Claim 14, wherein the secure signal comprises a password.

16. (Original) The method of Claim 1, further comprising:
determining devices connected to the multiparty communication session streaming voice packets; and
disabling media from each device streaming voice packets and from which no active participant is identified.

17. (Currently amended) A system for controlling audio content during a multiparty communication session, comprising:

means for establishing a multiparty communication session involving a plurality of participants, each participant associated with a device;

means for, after establishing the multiparty communication session, prompting the active participants of a multiparty communication session to identify themselves as active participants; and

means for disabling media from a particular device previously used by one of the participants and from which no active participant is identified to terminate communication of the media from the particular device to other devices in the multiparty communication session.

18. (Currently amended) The system of Claim 17, further comprising means for prompting the active participants to identify themselves in response to at least a request from one of the participants.

19. (Previously presented) The system of Claim 18, further comprising means for authenticating the request.

20. (Original) The system of Claim 19, wherein the means for authenticating the request comprises means for authenticating the participant making the request.

21. (Original) The system of Claim 17, further comprising means for disabling media from each device from which no active participant is identified.

22. (Original) The system of Claim 17, wherein the disabled media comprises on-hold content.

23. (Currently amended) The system of Claim 17, further comprising means for receiving a response to the prompt ~~to the active participants to identify themselves~~ from at least one active participant via a dual-tone multi-frequency (DTMF) command.

24. (Currently amended) The system of Claim 17, further comprising means for utilizing adaptive speech recognition to identify responses from ~~active participants to identify themselves.~~

25. (Currently amended) The system of Claim 17, further comprising means for filtering out responses to the prompt ~~to identify themselves from the active participants~~ to prevent communication of the responses to the other devices in the multiparty session.

26. (Original) The system of Claim 17, further comprising means for periodically playing to the particular device for which the media is disabled a prompt inviting the participant to re-join the multiparty communication session.

27. (Original) The system of Claim 26, further comprising means for enabling media from the particular device in response to at least receiving a re-join request from the particular device.

28. (Original) The system of Claim 17, further comprising means for identifying to the active participants a list of the active participants.

29. (Original) The system of Claim 28, further comprising means for identifying the list of active participants to a particular active participant in response to a query by the particular active participant.

30. (Original) The system of Claim 17, wherein each active participant identifies himself with a secure signal.

31. (Original) The system of Claim 30, wherein the secure signal comprises a password.

32. (Original) The system of Claim 17, further comprising:
means for determining devices connected to the multiparty communication session
streaming voice packets; and
means for disabling media from each device streaming voice packets and from which
no active participant is identified.

33. (Currently amended) A system for controlling audio content during a multiparty communication session, comprising media encoded in logic and operable to:

establish a multiparty communication session involving a plurality of participants, each participant associated with a device;

after establishing the multiparty communication session, prompt the active participants of a multiparty communication session to identify themselves as active participants; and

disable media from a particular device previously used by one of the participants and from which no active participant is identified to terminate communication of the media from the particular device to other devices in the multiparty communication session.

34. (Currently amended) The system of Claim 33, the logic further operable to prompt the ~~active~~ participants to identify themselves in response to at least a request from one of the participants.

35. (Previously presented) The system of Claim 34, the logic further operable to authenticate the request.

36. (Original) The system of Claim 35, the logic further operable to authenticate the request by authenticating the participant making the request.

37. (Original) The system of Claim 33, the logic further operable to disable media from each device from which no active participant is identified.

38. (Original) The system of Claim 33, wherein the disabled media comprises on-hold content.

39. (Currently amended) The system of Claim 33, the logic further operable to receive a response to the prompt ~~to the active participants to identify themselves~~ from at least one ~~active~~ participant via a dual-tone multi-frequency (DTMF) command.

40. (Currently amended) The system of Claim 33, the logic further operable to utilize adaptive speech recognition to identify responses from active participants ~~to identify themselves.~~

41. (Currently amended) The system of Claim 33, the logic further operable to filter out responses to the prompt ~~to identify themselves from the active participants~~ to prevent communication of the responses to the other devices in the multiparty session..

42. (Original) The system of Claim 33, the logic further operable to periodically play to the particular device for which the media is disabled a prompt inviting the participant to re-join the multiparty communication session.

43. (Original) The system of Claim 42, the logic further operable to enable media from the particular device in response to at least receiving a re-join request from the particular device.

44. (Original) The system of Claim 33, the logic further operable to identify to the active participants a list of the active participants.

45. (Original) The system of Claim 44, the logic further operable to identify the list of active participants to a particular active participant in response to a query by the particular active participant.

46. (Original) The system of Claim 33, wherein each active participant identifies himself with a secure signal.

47. (Original) The system of Claim 46, wherein the secure signal comprises a password.

48. (Original) The system of Claim 33, the logic further operable to:
determine devices connected to the multiparty communication session streaming
voice packets; and
disable media from each device streaming voice packets and from which no active
participant is identified.

49. (Original) A method for handling on-hold endpoints in a conference call, comprising:

- receiving an audio stream from each of a plurality of participants to a conference call;
- receiving a control signal from a participant to the conference call indicating the conference call is receiving on-hold content from at least one on-hold endpoint;
- prompting each participant to send a reply to a prompt;
- receiving replies from active participants to the conference call; and
- terminating media from devices associated with each participant not sending a reply.

50. (Previously presented) A conference bridge, comprising:

- an input buffer operable to receive and buffer audio streams generated by participants of a multiparty communication session;
- a cross-connect operable to cross-connect an audio stream from each participant to conference output stream generators for remaining participants;
- the conference stream output generator for each participant operable to combine each audio stream received from the cross-connect multiple independently controlled by the participant and to generate a conference output stream for the participant;
- an output buffer operable to receive and buffer the conference output streams for transmission to the participant; and
- an on-hold handler operable in response to a participant request to communicate with the participants, to identify active participants and to disable audio streams generated by devices associated with non-active participants.